

A - BBQ Easy

Time Limit: 2 sec / Memory Limit: 256 MB

Score : 200 points

Problem Statement

Snuke is having a barbecue party.

At the party, he will make N servings of *Skewer Meal*.



Example of a serving of Skewer Meal

He has a stock of $2N$ skewers, all of which will be used in Skewer Meal. The length of the i -th skewer is L_i . Also, he has an infinite supply of ingredients.

To make a serving of Skewer Meal, he picks 2 skewers and threads ingredients onto those skewers. Let the length of the shorter skewer be x , then the serving can hold the maximum of x ingredients.

What is the maximum total number of ingredients that his N servings of Skewer Meal can hold, if he uses the skewers optimally?

Constraints

- $1 \leq N \leq 100$
- $1 \leq L_i \leq 100$
- For each i , L_i is an integer.

Input

The input is given from Standard Input in the following format:

```
 $N$   
 $L_1$   $L_2$  ...  $L_{2N}$ 
```

Output

Print the maximum total number of ingredients that Snuke's N servings of Skewer Meal can hold.

Sample Input 1

```
2  
1 3 1 2
```

Sample Output 1

```
3
```

If he makes a serving using the first and third skewers, and another using the second and fourth skewers, each serving will hold 1 and 2 ingredients, for the total of 3.

Sample Input 2

```
5  
100 1 2 3 14 15 58 58 58 29
```

Sample Output 2

135

B - Mysterious Light

Time Limit: 2 sec / Memory Limit: 256 MB

Score : 500 points

Problem Statement


Snuke is conducting an optical experiment using mirrors and his new invention, the rifle of *Mysterious Light*.

Three mirrors of length N are set so that they form an equilateral triangle. Let the vertices of the triangle be a , b and c .

Inside the triangle, the rifle is placed at the point p on segment ab such that $ap = X$. (The size of the rifle is negligible.) Now, the rifle is about to fire a ray of Mysterious Light in the direction of bc .

The ray of Mysterious Light will travel in a straight line, and will be reflected by mirrors, in the same ways as "ordinary" light. There is one major difference, though: it will be also reflected by its own trajectory as if it is a mirror! When the ray comes back to the rifle, the ray will be absorbed.

The following image shows the ray's trajectory where $N = 5$ and $X = 2$.



It can be shown that the ray eventually comes back to the rifle and is absorbed, regardless of the values of N and X . Find the total length of the ray's trajectory.

Constraints

- $2 \leq N \leq 10^{12}$
- $1 \leq X \leq N - 1$
- N and X are integers.

Partial Points

- 300 points will be awarded for passing the test set satisfying $N \leq 1000$.
- Another 200 points will be awarded for passing the test set without additional constraints.

Input

The input is given from Standard Input in the following format:

N X

Output

Print the total length of the ray's trajectory.

Sample Input 1

```
5 2
```

Sample Output 1

```
12
```

Refer to the image in the Problem Statement section. The total length of the trajectory is $2 + 3 + 2 + 2 + 1 + 1 + 1 = 12$.

C - Shorten Diameter

Time Limit: 2 sec / Memory Limit: 256 MB

Score : 600 points

Problem Statement

Given an undirected tree, let the distance between vertices u and v be the number of edges on the simple path from u to v . The diameter of a tree is the maximum among the distances between any two vertices. We will call a tree *good* if and only if its diameter is at most K .

You are given an undirected tree with N vertices numbered 1 through N . For each $i(1 \leq i \leq N - 1)$, there is an edge connecting vertices A_i and B_i .

You want to remove zero or more vertices from the tree, so that the resulting tree is good. When a vertex is removed, all incident edges will also be removed. The resulting graph must be connected.

Find the minimum number of vertices that you need to remove in order to produce a good tree.

Constraints

- $2 \leq N \leq 2000$
- $1 \leq K \leq N - 1$
- $1 \leq A_i \leq N, 1 \leq B_i \leq N$
- The graph defined by A_i and B_i is a tree.

Input

The input is given from Standard Input in the following format:

```
N K
A1 B1
A2 B2
:
AN-1 BN-1
```

Output

Print the minimum number of vertices that you need to remove in order to produce a good tree.


Sample Input 1

```
6 2
1 2
3 2
4 2
1 6
5 6
```

Sample Output 1

```
2
```

The tree is shown below. Removing vertices 5 and 6 will result in a good tree with the diameter of 2.



Sample Input 2

```
6 5
1 2
3 2
4 2
1 6
5 6
```

Sample Output 2

```
0
```

Since the given tree is already good, you do not need to remove any vertex.

D - Arrays and Palindrome

Time Limit: 2 sec / Memory Limit: 256 MB

Score : 1000 points

Problem Statement

Snuke got a present from his mother on his birthday. The present was a pair of two sequences a and b , consisting of positive integers. They satisfied all of the following properties:

- The sum of all elements of a is N .
- The sum of all elements of b is N .
- Any string of length N that satisfies the following two conditions (1) and (2) will also satisfy the condition (3).
 - (1) Any of the following forms a palindrome: the first a_1 letters, the following a_2 letters, the following a_3 letters and so on.
 - (2) Any of the following forms a palindrome: the first b_1 letters, the following b_2 letters, the following b_3 letters and so on.
 - (3) All N letters are the same.

He was happy, until one day he lost both of the sequences. Now, he only remembers that the sequence a was a permutation of another sequence A of length M .

To bring him happiness again, his mother has decided to give him another pair of sequences a and b that satisfies his favorite properties and is consistent with his memory.

Constraints

- $1 \leq N \leq 10^5$
- $1 \leq M \leq 100$
- $1 \leq A_i \leq 10^5$
- The sum of all A_i equals N .

Input

The input is given from Standard Input in the following format:

```
N M
A1 A2 ... AM
```

Output

If there exists a pair of sequences a and b that satisfies the properties and is consistent with Snuke's memory, print three lines. The first line must contain the sequence a , the second line must contain the length of the sequence b , and the third line must contain the sequence b .

If such a pair does not exist (because Snuke's memory is wrong or some other reason), print a single line containing the word 'Impossible' (case-sensitive).

Sample Input 1

```
3 2
2 1
```

Sample Output 1

```
1 2
1
3
```

Sample Input 2

```
6 1
6
```

Sample Output 2

```
6
3
1 2 3
```

Sample Input 3

```
55 10
1 2 3 4 5 6 7 8 9 10
```

Sample Output 3

```
Impossible
```

E - BBQ Hard

Time Limit: 2 sec / Memory Limit: 256 MB

Score : 1400 points

Problem Statement

Snuke is having another barbeque party.

This time, he will make one serving of *Skewer Meal*.

He has a stock of N *Skewer Meal Packs*. The i -th *Skewer Meal Pack* contains one skewer, A_i pieces of beef and B_i pieces of green pepper. All skewers in these packs are different and distinguishable, while all pieces of beef and all pieces of green pepper are, respectively, indistinguishable.

To make a *Skewer Meal*, he chooses two of his *Skewer Meal Packs*, and takes out all of the contents from the chosen packs, that is, two skewers and some pieces of beef or green pepper. (Remaining *Skewer Meal Packs* will not be used.) Then, all those pieces of food are threaded onto both skewers, one by one, in any order.

(See the image in the Sample section for better understanding.)

In how many different ways can he make a *Skewer Meal*? Two ways of making a *Skewer Meal* is different if and only if the sets of the used skewers are different, or the orders of the pieces of food are different. Since this number can be extremely large, find it modulo $10^9 + 7$.

Constraints

- $2 \leq N \leq 200,000$
- $1 \leq A_i \leq 2000, 1 \leq B_i \leq 2000$

Input

The input is given from Standard Input in the following format:

```
N
A1 B1
A2 B2
:
AN BN
```

Output

Print the number of the different ways Snuke can make a serving of *Skewer Meal*, modulo $10^9 + 7$.


Sample Input 1

```
3
1 1
1 1
2 1
```

Sample Output 1

```
26
```

The 26 ways of making a Skewer Meal are shown below. Gray bars represent skewers, each with a number denoting the Skewer Meal Set that contained the skewer. Brown and green rectangles represent pieces of beef and green pepper, respectively.



F - Wide Swap

Time Limit: 5 sec / Memory Limit: 256 MB

Score : 2000 points

Problem Statement

You are given a permutation $P_1 \dots P_N$ of the set $\{1, 2, \dots, N\}$.

You can apply the following operation to this permutation, any number of times (possibly zero):

- Choose two indices i, j ($1 \leq i < j \leq N$), such that $j - i \geq K$ and $|P_i - P_j| = 1$. Then, swap the values of P_i and P_j .

Among all permutations that can be obtained by applying this operation to the given permutation, find the lexicographically smallest one.

Constraints

- $2 \leq N \leq 500,000$
- $1 \leq K \leq N - 1$
- P is a permutation of the set $\{1, 2, \dots, N\}$.

Input

The input is given from Standard Input in the following format:

```
 $N$   $K$   
 $P_1$   $P_2$  ...  $P_N$ 
```

Output

Print the lexicographically smallest permutation that can be obtained.

Sample Input 1

```
4 2  
4 2 3 1
```

Sample Output 1

```
2  
1  
4  
3
```

One possible way to obtain the lexicographically smallest permutation is shown below:

- 4231
- 4132
- 3142
- 2143

Sample Input 2

```
5 1  
5 4 3 2 1
```

Sample Output 2

```
1  
2  
3  
4  
5
```

Sample Input 3

```
8 3  
4 5 7 8 3 1 2 6
```

Sample Output 3

```
1  
2  
6  
7  
5  
3  
4  
8
```